



Mycological Research

Volume 95, Issue 6, June 1991, Pages 665-678

Rust of *Monstera deliciosa* in Australia

Dorothy E. Shaw[Show more ▾](#) [Share](#) [Cite](#)[https://doi.org/10.1016/S0953-7562\(09\)80813-7 ↗](https://doi.org/10.1016/S0953-7562(09)80813-7)[Get rights and content ↗](#)

Puccinia paullula on *Monstera deliciosa* in Australia was compared with other rust fungi recorded on aroids. Urediniospores were present throughout the year but with little or no germination except during the cooler months. Teliospores were produced only during the warmer months and the possible temperature threshold for teliospore induction is discussed. Teliospores germinated without dormancy but sporidia were unable to infect *M. deliciosa*, *M. deliciosa*, *M. adansonii* var. *laniata*, *M. standleyana* cv. Variegata, *M. subpinnata*, *Epipremnum (Rhaphidophora) pinnatum* (but not *E. pinnatum* cv. *Aureum*) and *Typhonodorum lindleyanum* had various degrees of susceptibility but not some other aroids including *Amorphophallus* spp. The fungus on *Amorphophallus* is designated f. sp. *amorphophalli* and that on *Monstera* spp., *E. pinnatum* and *T. lindleyanum* is f. sp. *monsterae*.

[Recommended articles](#)

References (32)

OnoY. et al.

[Two rust fungi with pseudosuprastomatal sori collected in Thailand](#)

Transactions of the British Mycological Society (1988)

Anon

New South Wales Department of Agriculture Biology Branch Plant Diseases Survey (1983–84) (1985)

Arthur].C. et al.

Philippine rusts in the Clemens collection 1923–26, I

Philippine Journal of Science (1936)

Bakhuizen van den BrinkR.C.

Are *Epipremnum* Schott, *Raphidophora* Hassk. and *Monstera* Adans. congeneric?

Blumea Supplement (1958)

BoedijnK.B.

The Uredinales of Indonesia

Nova Hedwigia (1960)

BurnettD.

The cultivated *Alocasia*

Aroideana (1984)

CookR.P. et al.

Host-pathogen index of plant diseases in South Australia

(1989)

CumminsG.B.

Uredinales of New Guinea. III

Mycologia (1941)

GrueterW. et al.

HawksworthD.L. et al.

Ainsworth & Bisby's Dictionary of the Fungi

(1983)

HenningsP.

Fungi novo-guineenses

Botanische Jahrbucher (1982)

HiratsukaN.

Notes on Uredinales collected in south China

Journal of Japanese Botany (1942)

HiratsukaN. et al.

Uredinales collected in Formosa. II

Botanical Magazine, Tokyo (1934)

HugueninB.

Micromycetes de Nouvelle-Calédonie

KernF.D. et al.

KöhlerF.

fr

Phytopathologie (1987)

There are more references available in the full text version of this article.

Cited by (12)

[Infection by *Colletotrichum gloeosporioides* through lesions of *Puccinia paullula* f. sp. *monsterae* on *Monstera deliciosa*](#)

1995, Topics in Catalysis

[Formation of oil-like drops from *Monstera* rust urediniospores](#)

1992, Topics in Catalysis

[First Report of *Pseudocerradoa paullula* Causing Aroid Leaf Rust on Swiss Cheese Plant \(*Monstera deliciosa*\) in South Carolina, U.S.A. ↗](#)

2023, Plant Disease

[Detection of Aroid Leaf Rust *Pseudocerradoa paullula* on Swiss Cheese Plant *Monstera deliciosa* in the Continental United States ↗](#)

2023, Plant Disease

[First Report of Rust Caused by *Puccinia paullula* on *Monstera deliciosa* and *M. adansonii* in Japan ↗](#)

2023, Plant Disease

[Reinstatement and phylogenetic allocation of the palm rust genus *Cerradoa* in the Pucciniaceae, and establishment of *Pseudocerradoa*, gen. nov. ↗](#)

2022, *Mycologia*

 View all citing articles on Scopus ↗

[View full text](#)

Copyright © 1991 British Mycological Society. Published by Elsevier Ltd. All rights reserved.



All content on this site: Copyright © 2024 Elsevier B.V., its licensors, and contributors. All rights are reserved, including those for text and data mining, AI training, and similar technologies. For all open access content, the Creative Commons licensing terms apply.

